

AMBULANCE BOAT

UKURAN UTAMA :

- Panjang (LOA) : 14.00 meter
- Lebar (B) : 3.20 meter
- Tinggi (H) : 1.50 meter

BAHAN :

- Aluminium Marine standart
- Fiberglass (FRP)

FASILITAS :

- Sistem Permesinan
- Sistem Kelistrikan
- Sistem Navigasi
- Sistem Telekomunikasi
- Perlengkapan Medis
- Perlengkapan Keselamatan
- Perlengkapan Tambat
- Surat Kapal



BUILD YOUR BOAT

**OUNEER
INDONESIA GROUP
COMPANY**

Designs that you love.
Buildings that you can trust.

PT. OUNEER
INDONESIA GROUP
BOATYARD & MARINE ENTERPRISE



1. ALUMINIUM CONSTRUCTION

Aluminum construction has the advantages of being lighter and more durable.

2. FIBERGLASS CONSTRUCTION


Fiberglass construction is less expensive than aluminum and more flexible for the hull shape.



BROCHURE
RBB
RIGID BOUYANCY BOAT

RBB (Rigid Bouyancy Boats) is a development of the RIB (Rigid Inflatable Boats) type boat, where the combination of a rigid hull and a floating tube can increase the safety of its users and be easier to maintain.





CREW BOAT 4078

SHORT SPECIFICATIONS

GENERAL

Material : Aluminium Construction with
BKI Classification rules

PRINCIPAL PARTICULARS

Length O.A : 40.60 m
Length B.P : 37.08 m
Breadth Moulded : 7.80 m
Depth Moulded : 3.70 m
Draft (max.) : 1.90 m
Freeboard : 1.80 m
Class : BKI

DECK PARTICULARS

Clear Deck Area : 110 m²

PERFORMANCE

Max. Speed : 25 knots
Economic Speed : 20 knots

PROPULSION SYSTEM

Main Engines : 3 x Caterpillar C32 ACERT IMO
Tier 2, 1450 BHP, 1081 kW
@ 2300 rpm, total 4350 BHP
Auxiliary Engines : 3 x 96 kW, Total 386 BHP
Emergency Generator : Nil
Bow Thruster : 1 x Electro-hydraulic @ 132 BHP/
98 kW
Propeller : 3 x Fixed Pitch Propeller ,
Ni-Al-Bronze
Steering Gear Sys. : 2 x Electro-hydraulic pump
system (415 Volt, 3 phase 50 Hz)
Rudder : 2 x Electro-hydraulic pump
system (415 Volt, 3 phase 50 Hz)

TANK CAPACITIES

Fuel Oil : 70 m³
Fresh Water : 20 m³

CARGO DISCHARGE CAPACITIES

Fuel Oil Pump : 23 m³/hr
Fresh Water Pump : 3.8 m³/hr
Bilge : 10 m³/hr

DECK EQUIPMENT

Anchor Windlass : 1 x Electro-hydraulic Winch
C/W Bow : C/W Wire Rope, Chain, &
Single Anchor
Crane : Nil

ACCOMODATION

Passenger Seats : 83 Pax
Crew : 10

EXTERNAL FIRE FIGHTING EQUIPMENT

Fi-Fi Pump : 2 x 600 m³/hr
Fi-Fi Monitor : 2 x 600 m³/hr

INTERNAL FIRE FIGHTING & ANTI-POLLUTION EQUIPMENT

Emergency Fire : 50 m³/hr
Pump
Co2 Fi-Fi System : Aerosal System for Engine Room
Smoke Detector & Fire Alarm in
Fire Detection & : Living Room, Electronic Device
Alarm : LTD : Smoke with heat detector
& Fire Alarm in E/R

LIFE SAVING EQUIPMENT

Life Rafts : 4 x 65 men, 1 x 6 men, SOLAS
Compliance
Rescue Boat C/W : Nil
Davit



FIRE RESCUE BOAT 1003

SHORT SPECIFICATIONS

GENERAL

Material	:	Aluminium Construction or Fiberglass Construction with Indonesia Classification (BKI)
Total Capacity	:	6 Persons

DIMENSIONS

Length O.A	:	10.00 m
Beam	:	3.00 m
Depth	:	1.30 m

TANK CAPACITIES

Fuel Oil	:	500 L
----------	---	-------

PERFORMANCES

Service Speed	:	15 knots
Max. Speed	:	20 knots

PROPULSION SYSTEM

Engine Power	:	2 x 200 Hp
Type	:	Outboard Engine

NAVIGATION EQUIPMENT

Marine Radar
 Magnetic Compass
 GPS (Global Positioning System)
 AIS (Automatic Identification System)
 Echo Sounder
 Wind Anemometer
 Electronic Chart

COMMUNICATION EQUIPMENT

Radio VHF
 Handy Talky
 Loud Hailer

SAFETY EQUIPMENT

Life Buoy
 Life Jacket
 ILR (Inflatable Life Raft)
 Smoke Flare
 Red Hand Flare
 Rocket Parachute

FIRE PROTECTION

Smoke Detector
 Insulation
 Fire Extinguisher
 Fire nozzle

MOORING EQUIPMENT

Bollard
 Cleats
 Anchor
 Anchor Chain & Rope
 Mooring Rope
 Polyform Fender



FISHING BOAT 8022

SHORT SPECIFICATIONS

GENERAL

Material	:	Aluminium Construction or Fiberglass Construction with Indonesia Classification (BKI)
Total Capacity	:	8 Persons

DIMENSIONS

Length O.A	:	8.00 m
Beam	:	2.20 m
Depth	:	1.10 m

TANK CAPACITIES

Fuel Oil	:	500 L
Fresh Water	:	100 L

PERFORMANCES

Service Speed	:	20 knots
Max. Speed	:	25 knots

PROPULSION SYSTEM

Engine Power	:	2 x 150 Hp
Type	:	Outboard Engine

NAVIGATION EQUIPMENT

Marine Radar
Magnetic Compass
GPS (Global Positioning System)
Echo Sounder
Fish Finder
Electronic Chart

COMMUNICATION EQUIPMENT

Radio VHF
Handy Talky

SAFETY EQUIPMENT

Life Buoy
Life Jacket
Smoke Flare
Red Hand Flare
Rocket Parachute

FIRE PROTECTION

Fire Extinguisher

MOORING EQUIPMENT

Bollard
Cleats
Anchor
Anchor Chain & Rope
Mooring Rope
Polyform Fender



FISHING BOAT 8022

SHORT SPECIFICATIONS

GENERAL

Material	:	Aluminium Construction or Fiberglass Construction with Indonesia Classification (BKI)
Total Capacity	:	8 Persons

DIMENSIONS

Length O.A	:	8.00 m
Beam	:	2.20 m
Depth	:	1.10 m

TANK CAPACITIES

Fuel Oil	:	500 L
Fresh Water	:	100 L

PERFORMANCES

Service Speed	:	20 knots
Max. Speed	:	25 knots

PROPULSION SYSTEM

Engine Power	:	2 x 150 Hp
Type	:	Outboard Engine

NAVIGATION EQUIPMENT

Marine Radar
 Magnetic Compass
 GPS (Global Positioning System)
 Echo Sounder
 Fish Finder
 Electronic Chart

COMMUNICATION EQUIPMENT

Radio VHF
 Handy Talky

SAFETY EQUIPMENT


Life Buoy
 Life Jacket
 Smoke Flare
 Red Hand Flare
 Rocket Parachute

FIRE PROTECTION

Fire Extinguisher

MOORING EQUIPMENT

Bollard
 Cleats
 Anchor
 Anchor Chain & Rope
 Mooring Rope
 Polyform Fender



LONG BOAT 1235

SHORT SPECIFICATIONS

GENERAL

Material	:	Aluminium Construction or Fiberglass Construction with Indonesia Classification (BKI)
Hull Type	:	Catamaran / V-hull
Total Capacity	:	25 + 2 Persons

DIMENSIONS

Length O.A	:	12.50 m
Beam	:	3.50 m
Depth	:	1.20 m

TANK CAPACITIES

Fuel Oil	:	300 L
----------	---	-------

PERFORMANCES

Service Speed	:	10 knots
Max. Speed	:	15 knots

PROPULSION SYSTEM

Engine Power	:	2 x 100 Hp
Type	:	Outboard Engine

NAVIGATION EQUIPMENT

Magnetic Compass
 GPS (Global Positioning System)
 Echo Sounder
 Electronic Chart

COMMUNICATION EQUIPMENT

Handy Talky
 Loud Hailer

SAFETY EQUIPMENT

Life Buoy
 Life Jacket
 Smoke Flare
 Red Hand Flare
 Rocket Parachute

FIRE PROTECTION

Fire Extinguisher

MOORING EQUIPMENT

Bollard
 Cleats
 Anchor
 Anchor Chain & Rope
 Mooring Rope
 Polyform Fender



PASSENGER 1203

SHORT SPECIFICATIONS

GENERAL

Material	:	Aluminium Construction Fiberglass Construction with Indonesia Classification (BKI)
Total Capacity	:	22 Persons

DIMENSIONS

Length O.A	:	12.00 m
Beam	:	3.00 m
Depth	:	1.40 m

TANK CAPACITIES

Fuel Oil	:	800 L
Fresh Water	:	300 L

PERFORMANCES

Service Speed	:	15 knots
Max. Speed	:	20 knots

PROPULSION SYSTEM

Engine Power	:	2 x 200 Hp
Type	:	Outboard Engine

NAVIGATION EQUIPMENT

Marine Radar
 Magnetic Compass
 GPS (Global Positioning System)
 AIS (Automatic Identification System)
 Echo Sounder
 Wind Anemometer
 Electronic Chart

COMMUNICATION EQUIPMENT

Radio VHF
 Handy Talky
 Loud Hailer

SAFETY EQUIPMENT

Life Buoy
 Life Jacket
 Smoke Flare
 Red Hand Flare
 Rocket Parachute

FIRE PROTECTION

Smoke Detector
 Insulation
 Fire Extinguisher

MOORING EQUIPMENT

Bollard
 Cleats
 Anchor
 Anchor Chain & Rope
 Moorin'g Rope
 Polyform Fender



PILOT BOAT 1303

SHORT SPECIFICATIONS

GENERAL

Material	:	Aluminium Construction with Lloyd's Register Classification Rules
Total Capacity	:	14 Persons

DIMENSIONS

Length O.A	:	13.00 m
Beam	:	3.00 m
Depth	:	1.40 m

TANK CAPACITIES

Fuel Oil	:	1100 L
Fresh Water	:	600 L
Sewage	:	360 L

PERFORMANCES

Service Speed	:	15 knots
Max. Speed	:	20 knots

PROPULSION SYSTEM

Engine Power	:	2 x 250 Hp
Type	:	Outboard Engine

NAVIGATION EQUIPMENT

Marine Radar
 Magnetic Compass
 GPS (Global Positioning System)
 AIS (Automatic Identification System)
 Echo Sounder
 Wind Anemometer
 Electronic Chart

COMMUNICATION EQUIPMENT

Radio VHF
 Handy Talky
 Loud Hailer

SAFETY EQUIPMENT

Life Buoy
 Life Jacket
 ILR (Inflatable Life Raft)
 Smoke Flare
 Red Hand Flare
 Rocket Parachute

FIRE PROTECTION

Smoke Detector
 Insulation
 Fire Extinguisher

MOORING EQUIPMENT

Bollard
 Cleats
 Anchor
 Anchor Chain & Rope
 Mooring Rope
 Polyform Fender



SEATRUCK 1304

SHORT SPECIFICATIONS

GENERAL

Material	:	Aluminium Construction with Lloyd's Register Classification Rules
Total Capacity	:	14 Persons

DIMENSIONS

Length O.A	:	13.00 m
Beam	:	4.00 m
Depth	:	1.80 m

TANK CAPACITIES

Fuel Oil	:	1100 L
Fresh Water	:	600 L
Sewage	:	360 L

PERFORMANCES

Service Speed	:	15 knots
Max. Speed	:	20 knots

PROPULSION SYSTEM

Engine Power	:	2 x 250 Hp
Type	:	Outboard Engine

NAVIGATION EQUIPMENT

Marine Radar
Magnetic Compass
GPS (Global Positioning System)
AIS (Automatic Identification System)
Echo Sounder
Wind Anemometer
Electronic Chart

COMMUNICATION EQUIPMENT

Radio VHF
Handy Talky
Loud Hailer

SAFETY EQUIPMENT

Life Buoy
Life Jacket
ILR (Inflatable Life Raft)
Smoke Flare
Red Hand Flare
Rocket Parachute

FIRE PROTECTION

Smoke Detector
Insulation
Fire Extinguisher

MOORING EQUIPMENT

Bollard
Cleats
Anchor
Anchor Chain & Rope
Mooring Rope
Polyform Fender



RIGID HULL INFLATABLE BOAT 8503

SHORT SPECIFICATIONS

GENERAL

Material	:	Aluminium Construction or Fiberglass Construction with Indonesia Classification (BKI)
Total Capacity	:	8 Persons

DIMENSIONS

Length O.A	:	8.50 m
Length Inside	:	7.00 m
Beam O.A	:	3.38 m
Beam Inside	:	2.24 m
Tube Diameter	:	0.57 m

TANK CAPACITIES

Fuel Oil	:	400 L
----------	---	-------

PROPULSION SYSTEM

Engine Power	:	3 x 200 Hp
Type	:	Outboard Engine

NAVIGATION EQUIPMENT

Marine Radar
 Magnetic Compass
 GPS (Global Positioning System)
 Echo Sounder
 Electronic Chart
 Rotary Light

COMMUNICATION EQUIPMENT

Radio VHF
 Handy Talky

SAFETY EQUIPMENT

Life Buoy
 Life Jacket
 Smoke Flare
 Red Hand Flare
 Rocket Parachute

FIRE PROTECTION

Fire Extinguisher

MOORING EQUIPMENT

Bollard
 Cleats
 Anchor
 Anchor Rope
 Mooring Rope
 Polyform Fender



RUBBER BOAT

SHORT SPECIFICATIONS

GENERAL

Material : Rubber Hypallon or PVC

TYPE 2715

Length O.A : 2.70 m
 Beam O.A : 1.50 m
 Tube Diameter : 0.45 m
 Sekat Ruang : 3 + 1
 Capacity : 5 Persons
 Max. Engine : 9.8 Hp
 Weight : 45 Kg

TYPE 3516

Length O.A : 3.50 m
 Beam O.A : 1.65 m
 Tube Diameter : 0.45 m
 Tube Bulkhead : 3 + 1
 Capacity : 6+1 Persons
 Max. Engine : 18 Hp
 Weight : 65 Kg

TYPE 4017

Length O.A : 4.00 m
 Beam O.A : 1.75 m
 Tube Diameter : 0.50 m
 Tube Bulkhead : 4 + 1
 Capacity : 7+1 Persons
 Max. Engine : 25 Hp
 Weight : 95 Kg

TYPE 4321

Length O.A : 4.35 m
 Beam O.A : 2.10 m
 Tube Diameter : 0.50 m
 Sekat Ruang : 5 + 1
 Capacity : 8+1 Persons
 Max. Engine : 30 Hp
 Weight : 100 Kg


TYPE 4721

Length O.A : 4.75 m
 Beam O.A : 2.15 m
 Tube Diameter : 0.57 m
 Tube Bulkhead : 6 + 1
 Capacity : 10+1 Persons
 Max. Engine : 40 Hp
 Weight : 125 Kg

TYPE 5222

Length O.A : 5.25 m
 Beam O.A : 2.20 m
 Tube Diameter : 0.57 m
 Tube Bulkhead : 6 + 1
 Capacity : 12 + 1 Persons
 Max. Engine : 60 Hp
 Weight : 165 Kg

Custom Type : By Request



AMBULANCE BOAT CATAMARAN 1235

SHORT SPECIFICATIONS

GENERAL

Material	:	Aluminium Construction or Fiberglass Construction with Indonesia Classification (BKI)
Total Capacity	:	12 + 2 Persons

DIMENSIONS

Length O.A	:	12.50 m
Beam	:	3.50 m
Depth	:	1.20 m

TANK CAPACITIES

Fuel Oil	:	800 L
Fresh Water	:	300 L

PERFORMANCES

Service Speed	:	15 knots
Max. Speed	:	20 knots

PROPULSION SYSTEM

Engine Power	:	2 x 250 Hp
Type	:	Outboard Engine

NAVIGATION EQUIPMENT

Marine Radar
Magnetic Compass
GPS (Global Positioning System)
Echo Sounder
Wind Anemometer
Electronic Chart

COMMUNICATION EQUIPMENT

Radio VHF
Handy Talky
Loud Hailer

SAFETY EQUIPMENT

Life Buoy
Life Jacket
Smoke Flare
Red Hand Flare
Rocket Parachute

FIRE PROTECTION


Smoke Detector
Insulation
Fire Extinguisher

MOORING EQUIPMENT

Bollard
Cleats
Anchor
Anchor Chain & Rope
Mooring Rope
Polyform Fender

MEDICAL FACILITIES

Stretcher
Oxygen
First Aid Box
Digital Tension Meter
Infusion Kit
Surgical Instrument Set



SEARIDER 1203

SHORT SPECIFICATIONS

GENERAL

Material	:	Aluminium Construction or Fiberglass Construction with Indonesia Classification (BKI)
Total Capacity	:	12 Persons

DIMENSIONS

Length O.A	:	12.00 m
Length Inside	:	10.00 m
Beam O.A	:	3.40 m
Tube Diameter	:	0.60 m

TANK CAPACITIES

Fuel Oil	:	400 L
----------	---	-------

PROPULSION SYSTEM

Engine Power	:	2 x 200 Hp
Type	:	Outboard Engine

NAVIGATION EQUIPMENT

Marine Radar
Magnetic Compass
GPS (Global Positioning System)
Echo Sounder
Electronic Chart
Rotary Light

COMMUNICATION EQUIPMENT

Radio VHF
Handy Talky

SAFETY EQUIPMENT


Life Buoy
Life Jacket
Smoke Flare
Red Hand Flare
Rocket Parachute

FIRE PROTECTION

Fire Extinguisher

MOORING EQUIPMENT

Bollard
Cleats
Anchor
Anchor Rope
Mooring Rope
Polyform Fender



YACHT 1235

SHORT SPECIFICATIONS

GENERAL

Material	:	Aluminium Construction or Fiberglass Construction with Indonesia Classification (BKI)
Total Capacity	:	12 Persons

DIMENSIONS

Length O.A	:	12.00 m
Beam	:	3.40 m
Depth	:	1.40 m

TANK CAPACITIES

Fuel Oil	:	800 L
Fresh Water	:	200 L

PERFORMANCES

Service Speed	:	20 knots
Max. Speed	:	25 knots

PROPULSION SYSTEM

Engine Power	:	2 x 300 Hp
Type	:	Outboard Engine

NAVIGATION EQUIPMENT

Marine Radar
 Magnetic Compass
 GPS (Global Positioning System)
 AIS (Automatic Identification System)
 Echo Sounder
 Wind Anemometer
 Electronic Chart

COMMUNICATION EQUIPMENT

Radio VHF
 Handy Talky

SAFETY EQUIPMENT

Life Buoy
 Life Jacket
 ILR (Inflatable Life Raft)
 Smoke Flare
 Red Hand Flare
 Rocket Parachute

FIRE PROTECTION

Smoke Detector
 Insulation
 Fire Extinguisher
 Fire nozzle

MOORING EQUIPMENT

Bollard
 Cleats
 Anchor
 Anchor Chain & Rope
 Mooring Rope
 Polyform Fender